

INDEX MAPS.

T.14N R.4W 2nd Mer.

	199	199	199	198	198	198						
201	6	225	5	220	4	215	3	211	2	206	1	197
	227	224		220		215		210		206		
201	7	224	8	219	9	214	10	210	11	205	12	197
	226	223		219		214		209		205		
201	18	223	17	218	16	213	15	209	14	204	13	197
	226	223		218		213		209		204		
200	19	222	20	217	21	213	22	208	23	203	24	197
	226	222		217		212		208		203		
200	30	220	29	216	28	212	27	207	26	203	25	196
	225	220		216		211		207		202		
200	31	220	32	216	33	211	34	207	35	202	36	196
	194	193-194	193-195	193-195	193-195	193-195						

T.15N R.4W 2nd Mer.

	234		233		233		233		233		232	
236	6	258	5	253	4	249	3	245	2	240	1	232
	260		257		253		248		244		240	
235	7	257	8	252	9	248	10	244	11	239	12	232
	259 259		256		252		248		242		239	
235	18	256	17	252	16	247	15	242	14	238	13	231
	259		256		252		247		243		238	
235	19	255	20	251	21	246	22	242	23	238	24	231
	259		255		250		246		242		237	
234	30	254	29	250	28	246	27	241	26	237	25	231
	258		254		250		245		241		236	
234	31	254	32	249	33	245	34	241	35	236	36	231
	230		230		230		229		229		229	

The figures on the lines refer to the page.

Township No 15 North of Range No 4 West 2nd Mer. Ind. 221

Ch. lky

South Boundary

v. 555

Q123

West On the South Boundary of sec. 36 T. 15 N. R. 4 W.
 40.00 Set a 1/4 sec. post from which a
 100.00 Wellen 8 in. dist. bears N 11 E. 8 links east; and a
 " " " " S 81 E. 8 " "
 80.00 Set a post for the cor of sec. 35 & 36 from which a
 Buck 10 in dist. bears S 65 E. 27 links east; and a
 Sugar 18 " " " S 75 W. 25 " "
 Land all bottom very rich and part overflowed

West On the South Boundary of sec. 35. T. 15 N. R. 4 W.
 5.00 To a long Branch 20 links wide, Course S.
 40.00 Set a 1/4 sec. post from which a
 Buck 10 in dist. bears N 13 W. 19 links east; and a
 " " " " S 12 W. 11 " "
 60.00 To a Spring 500 links North Course S.
 80.00 Set a post for the cor of sec. 34 & 35 from which a
 Hickory 14 in. dist. bears N 55 E. 16 links east; and a
 Sugar 8 " " " S 28 E. 9 " "
 Land part rolling and part level; Timber Oak, Ash,
 Buck, Ash, Sugar, &c good farming land.

Nov. 29. 1819

West On the South Boundary of sec. 34 T. 15 N. R. 4 W.
 40.00 Set a 1/4 sec. post from which a
 Sugar 7 in. dist. bears S 77 E. 31 links east; and a
 Elm 5 " " " N 48 W. 12 " "
 47.00 To a Brook 8 links wide, Course S.
 75.00 To a Brook 10 " " " S W.
 80.00 Set a post for the cor of sec. 33 & 34 from which a
 Buck 9 in dist. bears S 73 E. 4 links east; and a
 Sugar 9 " " " S 29 W. 18 " "
 Land same as last mile.

T^h 15 N.R. N^o 4 W. 2nd Mer. And

West On the South Boundary of Sec. 33 T^h 15 N.R. 4 W
 17.00 To a Brook 15 links wide, Corner S.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Sugar 10 in. dia. bears S 87 E. 26 links dist; & a
 Do. 4 " " " West 34 " "
 80.00 Set a post for the cor. of Sec. 32 & 33 from which a
 Sugar 12 in. dia. bears N 31 E. 21 links dist; and a
 Do. 11 " " " S 33 W. 15 " "
 Same as last mile.

West On the South Boundary of Sec. 32 T^h 15 N.R. 4 W
 12.50 To a spring branch 5 links wide, Corner N.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Elm 9 in. dia. bears N 62 W. 10 links dist; & a
 Buck 18 " " " S 86 E. 6 " "
 71.00 To a Brook 10 links wide, Corner N.
 80.00 Set a post for the cor. of Sec. 31 & 32 from which a
 Ironwood 8 in. dia. bears N 4 E. 11 links dist; and a
 Buck 12 " " " S 80 E. 30 " "
 Same as last mile.

West On the South Boundary of Sec. 31 T^h 15 N.R. 4 W
 24.00 To a Brook 30 links wide, Corner S.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Buckeye 9 in. dia. bears N 70 E. 8 links dist; & a
 W. Buck. 10 " " " S 51 W. 30 " "
 58.04 Situate at the N.D.S. Range line 46 links North of
 the township Township Corner and set a post at the in-
 tersection for the cor. of Towns. 14 & 15 N.R. 4 & 5 West from
 which a Sugar 18 in. dia. bears S 22 E. 18 links dist;
 and a Buck 11 " " " N 13 W. 28 " "

231

T. N. 15 N. R. N. 4 West. 2nd Mer. Ind.

East Boundary

v. 620 221

June. 28. 1819

North On the East Boundary of sec. 36 T. 15 N. R. 4 W.
 23.50 To a Creek 150 links wide, Corner S. W.
 40.00 To a Buckeye 14 in. dia. Stand for the cor. of 1/4 sec.
 80.00 Set a post for the cor. of sec. 25 & 36 from which a
 Buck 9 in. dia. bears S 34 E. 23 links dist; and a
 Dy. 12 in. " " N 57 W. 29 " "
 Land mostly bottom and good for farming.

North On the East Boundary of sec. 25. T. 15 N. R. 4 W.
 39.00 To a Brook 10 links wide, Corner E.
 40.00 Set a 1/4 sec. post from which a
 W. Buck 8 in. dia. bears S 45 E. 21 links dist; & a
 Walnut 9 " " " N 57 W. 20 " "
 59.50 To a Brook 30 links wide, Corner E.
 80.00 Set a post for the Corner of sec. 24 & 25 from which a
 Buck 18 in. dia. bears N 51 E. 10 links dist; and a
 Walnut 4 " " " S 1/6 W. 19 " "
 Land some what broken and middling good for farm-
 ing; Timber Buck, Sugar, & Oak,

North On the East Boundary of sec. 24 T. 15 N. R. 4 W
 40.00 Set a 1/4 sec. post from which a
 Buck. 8 in. dia. bears South 23 links dist; and a
 W. Oak 27 " " " N 5 E. 30 " "
 80.00 Set a post for the cor. of sec. 23 & 24 from which a
 Sugar 10 in. dia. bears N 60 W. 7 links dist; and a
 Buck 30 " " " S 57 E. 23 " "
 Land South 1/2 similar to the last mile; North 1/2
 and good for farming; Timber Oak, Buck, Sugar

North On the East Boundary of sec. 13. T. 15 N. R. 4 W

T^h 15th S. R. N^o 4th 2nd M^o. Q^uad.

- 40.00 Set a 7th Sec post from which a
 Buck. 15 in. dia. beam S 56 E. 3 links dist; and a
 Do. 18 " " " S 34 W. 25 " "
- 80.00 Set a post for the cor of Sec. 12 & 13. From which a
 W. Oak. 24 in. dia. beam. N 63 W. 15 links dist; and a
 Sugar. 14 " " " N 87 E. 22 " "
- Land rolling and good for farming; Timber same.

- North On the East Boundary of Sec. 12 T. 15 S. R. 4th W.
- 40.00 Set a 7th Sec post from which a
 Buck. 18 in. dia. beam N 64 W. 33 links dist; and a
 W. Oak 40 " " " S 35 E. 27 " "
- 74.50 To a Spring branch, 3 links wide, Corner E.
- 80.00 Set a post for the cor. of Sec. 1 & 12 from which a
 Buck. 10 in. dia. beam S 37 W. 3 links dist; and a
 Do. 14 " " " N 48 E. 26 " "
- Land same as last mile.

- North On the East Boundary of Sec. 1 T. 15 S. R. N^o 4th W.
- 40.00 To a W. Oak. 48 in. dia. beam for the cor. of 7th Sec.
- 52.50 To a Brook 10 links wide, Corner E
- 80.00 Set a timber & Township Cor. for T. 15 & 16. R. 3 & 4 W.
 Land similar and on the Brook

North Boundary. June 15. 1819. v. 605' 2163

- West On the South Boundary of Sec. 36. T. 16. S. R. 4th W.
- 40.00 Set a 7th Sec post from which a
 Buck 14 in. dia. beam S 4 E. 13 links dist; and a
 Do. 9 " " " N 8 E. 26 " "
- 80.00 Set a post for the cor of Sec. 35 & 36. From which a
 Buck. 9 in. dia. beam East 29 links dist; and a
 Do. 9 " " " S 87 W. 29 " "
- Land level 2nd post; good for farming; Buck, Sugar Oak,

T. N. 15 N. R. N. 4 W. 2nd Mer. Ind.

Wash	On the South Boundary of sec. 35 T. 16 N. R. 4 W.
40.00	Set a 7/8 sec. post from which a W. Ash 18 in. diam. bears N 7 E. 17 links dist; and a Do. 24 " " " S 4 E. 20 " "
80.00	Set a post for the cor of sec. 34 & 35 from which a Buck 9 in. diam. bears S 9 W. 6 links dist; and a Do. 9 " " " N 4 E. 40 " " Sand same as last mile.
Wash	On the South Boundary of sec. 34 T. 16 N. R. 4 W.
31.50	To a Brook 10 links wide, Course N. W.
40.00	Set a 7/8 sec post from which a Buck 9 in. diam. bears N 70 E. 10 links dist; and a W. Ash 8 " " " S 23 W. 29 " "
63.00	To a Brook 12 links wide, Course N. W.
80.00	Set a post for the cor of sec. 33 & 34 from which a Sugar 9 in diam. bears East 27 links dist; and a Wash 12 " " " S 6 W. 36 " " Sand same as last mile.
Wash	On the South Boundary of sec. 33 T. 16 N. R. 4 W.
40.00	Set a 7/8 sec. post from which a Sugar 10 in. diam. bears S 30 E. 7 links dist and a Buck 12 " " " N 32 W. 22 " "
80.00	Set a post for the cor of sec. 32 & 33 from which a Buck 10 in. diam. bears S 66 E. 21 links dist; & a Hickory 9 " " " S 65 W. 19 " " Sand same as last mile.
Wash	On the South Boundary of sec. 32 T. 16 N. R. 4 W.
40.00	To a Buck. 6 in. diam. stands upon 7/8 sec. cor.
80.00	Set a post for the cor of 7/8 sec. from which a Buck 12 in. diam. bears S 30 E. 13 links dist; & a

T. N. 15. N. R. N. 4 W. 2nd Mer. Ind.

Sugar 9 in. dia. bears N 27 E. 18 links dish;
Sand same as last mile

West On the South Boundary of Sec. 31 T16 N R 4 W
40.00 Set a 1/4 Sec. post from which a
Buck 9 in. dia. bears N 40 W 5 links dish; and a
Wickory 18 " " S 81 E 34 " "
54.00 Continue the N. & S. Range line 307 links South of
the temp. cor. and set a post for the cor. of T. 15 & 16
N. R. 4 & 5 W. from which a
Buck 18 in. dia. bears S 8 E 24 links dish; & a
Wick 30 " " N 24 E 13 " "
Sand same as last mile

West Boundary

June 30. 1819 Ver. 6.25' 2127.

North On the East Boundary of Sec. 36. T 15 N R 5 W
40.00 Set a 1/4 Sec. post from which a
Buck 11 in. dia. bears S 9 W 17 links dish; & a
Do. 14 " " " " N 11 E 32 " "
76.00 To a Buck 30 links in dia. corner N.
80.00 Set a post for the cor. of Sec. 25 & 36 from which a
Buck 12 in. dia. bears S 5 E 8 links dish; & a
Do. 20 " " " " N 8 W 29 " "
Sand rolling and dish; good for farming; Timber
Buck, Sugar, Ash, & some Mahogany and Hackberry
among the Pine and Poplar.

North On the East Boundary of Sec. 25 T 15 N R 5 W
40.00 Set a 1/4 Sec. post from which a
Wick 30 in. dia. bears N 72 W 8 links dish; & a
Wickory 15 " " " " S 29 E 32 " "
80.00 Set a post for the cor. of Sec. 24 & 25 from which a

233

T. N. 15 N. R. N. 4 W. 2nd Mer. Ind.

	<p>Buck 12 in. dia. beam S48 W. 18 links dist; 80 Do. 10 " " " N57 E. 30 " " Land level and some good farming land; Timber same</p>
<p>North 40.00</p>	<p>On the East Boundary of sec. 24. T. 15 N. R. 5 W. Set a 74 ft. post from which a Hickory 6 in. dia. beam S46 W. 13 links dist; 80 Do. 8 " " " " N97 W. 27 " " 80.00 Set a post for the cor of sec. 13 & 24 from which a Hickory 8 in. dia. beam N82 E. 10 links dist; 80 Sugar. 14 " " " " S54 E. 18 " " Land same as last mile.</p>
<p>North 40.00</p>	<p>On the East Boundary of sec. 13. T. 15 N. R. 5 W. Set a 74 ft. post from which a Sugar. 12 in. dia. beam S21 W. 24 links dist; 80 Do. 11 " " " " N19 E. 23 " " 80.00 Set a post for the cor of sec. 12 & 13 from which a Sugar 12 in. dia. beam N65 E. 11 links dist; 80 Buck 9 " " " " S67 W. 21 " "</p>
<p>North 18.00 40.00</p>	<p>On the East Boundary of sec. 12 T. 15 N. R. 5 W. To a Brook 12 links under corner N. Set a 74 ft. post from which a Buck 5 in. dia. beam S72 E. 16 links dist; 80 Do. 20 " " " " S75 W. 8 " " 80.00 Set a post for the cor of sec. 1 & 12 from which a Sugar 24 in. dia. beam S65 E. 17 links dist; 80 Do. 18 " " " " S75 W. 19 " " Land similar (to last mile) good 2nd rate; 80 for farming</p>

T^N 15 N^R N. 4th W 2nd Mer. Ind^a

North On the East Boundary of Sec. 1 T. 15 N. R. 5 W
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Buck 8 in. dia. bears S 56 W 17 links dist; & a
 Sugar 6 " " " N 38 E 14 " "
 73.00 To a Brook 6 links wide, Course N.
 80.00 Set a trap^y post for the cor. of T. 15 & 16. N. R.
 4 & 5 West Sand similar and good for farm-
 ing; Sand maddling level.

Surveyed by
 William Harris D.S.

Subdivisions

North Between Sec. 35 & 36 T. 15 N. R. 4 W.
 25.50 To a Buck 12 in. dia. in the line
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Poplar 40 in. dia. bears N 20 E 37 links dist; & a
 Elm 8 " " " S 36 W 27 " "
 62.50 To a W Oak 36 in. dia. in line
 80.00 Set a post for the cor. of sec. 25, 26, 35 & 36 from which
 a W. Walnut 18 in. dia. bears S 51 E 12 links dist; & a
 Elm 6 " " " N 44 W 11 " "
 Sand broken; Timber W Oak, Buck, & Sugar
 Undergth Sprin.

East On a Random line between Sec. 25 & 36 T. 15 N. R. 4 W
 40.00 Set a trap^y $\frac{1}{4}$ sec. post
 46.50 To a Brook 6 links wide, Course S. E.
 64.25 " " " " " " " "
 80.50 Enter at the East Boundary at the cor. of sec. 25 &
 36. Sand broken & 2nd rate; Timber W Oak,
 Buck, & Sugar, Undergth Sprin.

West On the true line between Sec. 25 & 36 T. 15 N. R. 4 W

237

T. N. 15 N.R. N. 4 W 2nd Mer. Sec. 2

40.25	Set the temporary post at cor. dish on the true line from which a Buck 14 in. dia. bears S 15 W 9 links dist; cedar 10. 10 " " N 85 E 21 " "
80.50	To cor of sec. 25, 26, 35 & 36.
North	Return Sec. 25 & 26 T. 15 N. 4 W.
8.70	To a W. Oak 24 in. dia. on the line
13.50	" " Spring branch corner N.W.
40.00	Set a temporary post from which a Buck 13 in. dia. bears S 60 W. 16 links dist; Sugar 10 " " " N 5 E. 15 " "
80.00	Set a post for the cor of sec. 23, 24, 25 & 26 from which a W. Oak 10 in. dia. bears N 72 E. 26 links dist; Sugar 12 " " " S 54 W. 12 " "
	Land 1/2 mile broken; 2nd of rolling & good. 2nd rate; Timber W. Oak, Walnut & Sugar, Buck, Ash & Magnolia.
East	On a Random line between Sec. 24 & 25 T. 15 N. 4 W.
40.00	Set a temporary post
45.00	Enter fallen timber
75.50	To a Buck 10 links on the corner S.E.
80.36	Intersect the East Boundary 6 links South of the post cor of sec. 24 & 25. Land rolling & 2nd rate; Timber Buck, Sugar & W. Oak Magnolia
West	On the true line between Sec. 24 & 25 T. 15 N. 4 W.
40.14 (40.18?)	Set the temporary post at the corner dish on the true line from which a W. Oak 30 in. dia. bears N 34 W 20 links dist; Ironwood 10 " " " S 49 E. 19 " "
80.36	To the post cor of sec. 23, 24, 25 & 26

T. N. 15 N.R. N. 4 W. 2nd Mer. Ind.

North Return Sec. 23 & 24 T. N. 15 N.R. 4 W
 11.86 To a Buck 12 in dia: in line.
 40.00 Set a ~~temp~~ ^{1/4} sec post from which a
 Buck 7 in. dia: bears N 62 W. 21 links dist; & a
 Hickory 20 " " " S 11 W. 25 " "
 57.00 To a Brook 10 lbs wide, Corner S. W.
 63.00 " " Sugar 12 in. dia: in line.
 80.00 Set post for the cor. of sec. 13, 14, 23 & 24 from which a
 Sugar 12 in dia: bears N 89 E. 16 links dist; & a
 Do 18 " " " N 18 W. 41 " "
 Grade 1st 1/2 mile out and 2nd rate; 2nd 1/2 mile
 Timber Beech, Sugar & Nut. A & W Oak,
 undergrowth Spine.

East On a Remains line between Sec. 13 & 24 T. 15 N.R. 4 W
 36.00 To a Brook 10 lbs wide, Corner S. E.
 40.00 Set a temp ^{1/4} sec post
 80.62 Intersect the East Boundary 20 links N. of the post
 cor of sec. 13 & 24
 Grade rolling and 2nd rate; Timber Beech, Sugar
 & W. Oak; undergrowth Spine &c

West On the true line between Sec. 13 & 24 T. 15 N.R. 4 W
 40.31 Set the temp ^{1/4} sec. post at the am. dist. on the true
 line from which a
 Hickory 16 in dia: bears N 6 W 7 links dist; & a
 Do 12 " " " S 1 W 24 " "
 80.62 To the post corner of sec. 13, 14, 23 & 24

North Return Sec. 13 & 14 T. 15 N.R. 4 W
 16.00 To a Sugar 18 in. dia: in the line.
 36.50 " a Brook 10 links wide, Corner S. E.
 40.00 Set a ^{1/4} sec. post from which a

T. N. 15 N. R. N. 4 W. 2nd Mer. Sur.

Beck 24 in. dia. bears North 10 links dist; & a
 Co. 10 " " " S 41 W. 16 " "
 64.50 To a W. Walnut 14 in. dia. in line
 80.00 Set a post for the cor. of sec. 11. 12. 13 & 14 from which a
 Hickory 12 in. dia. bears S 62 E. 7 links dist; & a
 W. Oak 12 " " " N 85 E. 26 " "
 Lands R. 1/2 mile broken; 2/3 rolling and rich
 good 2nd rate; Timber W. Oak, Beech, & Sugar
 & Walnut &c. Undergrowth Spruce; &c.

East On a Run down line between Sec. 12 & 13 T. 15 N. R. 4 W.
 35.50 To a Brook 10 links wide, Corner S. E.
 40.00 Set a trap 1/4 sec. post
 80.36 Set a post for the East Boundary 20 links South of
 the cor. of sec. 12 & 13.
 Lands rolling and 2nd rate; Timber Beech, Sugar
 and W. Oak; Undergrowth Spruce.

West On the true line between Sec. 12 & 13 T. 15 N. R. 4 W.
 40.18 Set the trap 1/4 sec. post at the cor. dist. on the true
 line from which a
 Beck 10 in. dia. bears N 81 W. 18 links dist; & a
 Sugar 20 " " " N 57 E. 6 " "
 80.36 To the cor. of sec. 11. 12. 13 & 14

North Return Sec. 11 & 12 T. 15 N. R. 4 W.
 16.20 To a W. Oak 24 in. dia. in line
 40.00 Set a 1/4 sec. post from which a
 Ash 10 in. dia. bears S 71 E. 15 links dist; & a
 Hickory 12 " " " S 81 W. 22 " "
 60.75 To a Sugar 24 in. dia. in the line
 80.00 Set a post for the cor. of sec. 1. 2. 11. & 12 from which a
 Walnut 24 in. dia. bears N 40 E. 20 links dist; & a

T. N^o 15 N.R. N^o 4 W. 2nd Mer. Sur.²

Buckeye 12 in. dia: bears N 76 E. 7 links dieb
 Sand bar and good 2nd rate; Timber N. Oak
 Birch and Walnut & Sugar; &c. Undergth Spruce
 and Pawpaw. &c.

East Quaker run line between Sec. 1 & 12 T. 15 N. R. 4 W.

31.00 To a brook 6 links wide, corner E. W.

40.00 Set a temp. 1/4 sec. post.

50.00 To a brook 10 links wide, corner E. W.

79.50 Entered the East Boundary 50 links South of
 the cor. of Sec. 1 & 12

Sand nothing and good 2nd rate; Timber Birch
 Sugar. and Poplar. Undergth Spruce and Ironwood

West Quaker run line between Sec. 1 & 12 T. 15 N. R. 4 W.

39.75 Set the temp. 1/4 post for the cor. of 1/4 sec at the corr. dies
 on the true line from which a

Poplar 40 in. dia: bears South 9 links dieb; &c.
 Birch. 12 " " East 15 " "

79.50 To the first corner of sec. 1, 2, 11 & 12

North Between Sec. 1 & 2 T. 15 N. R. 4 W.

12.25 To a Sugar 10 in. dia: in line

40.00 Set a 1/4 sec post from which a

Heiky 16 in dia: bears N 13 E. 7 links dieb; &c.
 Birch 11 " " " S 61 W. 18 " "

52.70 To a Sugar 7 in dia: in line

87.70 Entered the N. Boundary 24 links East of the
 cor. of sec. 35 & 36 T. 16 N. R. 4 W. and set a post for
 the cor. of sec. 1 & 2 from which a

Birch 10 in dia: bears N 70 E. 5 links dieb; &c. 100-12 in. dia:
 bears South 13 links dieb; Sand bar and good 2nd rate; Timber
 Walnut Birch, Sugar & N. Oak, Ash & Poplar; Undergth Spruce.

241

T. N. 15 N. R. N. 4 W. 2nd Mer. Ind.?

North Return Sub. 34 & 35 T. 15 N. R. 4 W.
 15.37 To Buck 20 in dia. in line.
 40.00 Set a 1/4 sec. post from which a
 Buck 20 in dia. trans. N 32 W. 19 links dia; & a
 Log. 18 " " " N 56 E. 30 " "
 72.10 To a Sugar 18 in dia. in line.
 80.00 Set a post for the cor. of sub. 26, 27, 34 & 35 from which a
 W. Oak 20 in dia. trans. S 38 W. 27 links dia; & a
 Sugar 12 " " " N 10 E. 58 " "
 Land 1 1/2 mile long 2nd rate; 2nd p. rolling 2nd
 rate; Timber Buck, Sugar, Oak, & under the Spruce.

East On a Random line between Sub. 26 & 35 T. 15 N. R. 4 W.
 31.00 To a Buck 20 links midy. Corner S.
 40.00 Set a temporary post
 79.76 Intersect the N 45 line 132 links north of the post cor.
 of sub. 25, 26, 35 & 36.
 Land rolling and Broken 2nd rate; Timber Buck,
 Sugar, Oak, & Under the Spruce.

West On the true line between Sub. 26 & 35 T. 15 N. R. 4 W.
 39.88 Set the temporary post at the aver. dia. on the true line for the
 cor. of 1/4 sec. from which a
 Blue Oak 8 in. dia. trans. N 82 W. 21 links dia; & a
 Elm 9 " " " S 69 E. 3 " "
 79.76 To the post cor. of sub. 26, 27, 34 & 35

North Return Sub. 26 & 27 T. 15 N. R. 4 W.
 21.44 To a Buck 10 in dia. in line.
 40.00 Set a 1/4 sec. post from which a
 Sugar 18 in. dia. trans. N 47 W. 2 links dia; & a
 Log. 12 " " " N 47 E. 24 " "
 58.60 To a Double Sugar 31 in dia. in line.

See

T. N. 15 N. R. N. 4 W. 2nd Mer. Sec. 5

80.00	Set a post for the cor. of Sec. 22, 23, 26, & 27 from which an Elm 24 in. dia. bears S 67 N. 9 links dish; & a Popl. 10 " " " S 61 E. 12 " " " Sand 1 st 1/2 mile Rolling; 2 nd rate; 2 nd 1/2 Broken and 2 nd rate; Timber Buck, Sugar, Oak, Poplar &c. Undergrowth Spruce.
East	On a random line between Sec. 23, & 26 T. 15 N. R. 4 W.
19.00	Set a post 20 links mid. Corner C.
40.00	Set a temporary 1/4 sec. post
79.20	Intersect the N & S line 141 links North of the post, cor. of Sec. 23, 24, 25 & 26. Sand 1 st 1/2 mile Rolling. 2 nd rate; 2 nd 1/2 same Timber Buck, Sugar, Oak & Undergrowth Spruce.
West	Corrected the line between Sec. 23 & 26 T. 15 N. R. 4 W.
39.60	Set the temporary 1/4 sec. post at the av. dish on the true line from which a Buck 10 in. dia. bears S 8 E. 25 the dish & a Lynn 36 " " " N 33 E. 6 " "
79.20	To the post cor. of Sec. 22, 23, 26, & 27.
North	Between Sec. 22, & 23 T. 15 N. R. 4 W.
12.90	To a Sugar 10 in. dia. stands in the line
40.00	Set a 1/4 sec. post from which an Ironwood 3 in. dia. bears N 54 W. 18 links dish; & a Buck 9 " " " N 76 W. 19 " "
58.94	To a Sugar 18 in. dia. in line.
80.00	Set a post for the cor. of Sec. 14, 15, 22, & 23 from which a Buck 10 in. dia. bears N 29 E. 5 links dish; & a Co. 4 " " " S 12 W. 17 " " Sand rolling & 2 nd rate; Timber Buck, Sugar, & Poplar. Oak & Ash. Undergrowth Spruce.

243

T. N. 15. A. R. N. 4. W. 2nd Mer. Sec. 15

East	On a Kamsam line between Sec. 14 & 23 T. 15 N. R. 4 W.
40.00	Set a temp. 7 1/4 cu. post.
79.22	Intersect the N. 8 South line 146 links North of the corner of Sec. 13. 14. 23 & 24 Land rolling and 2nd rate; Timber Buck, Pop- lar Oak, Sugar &c. Under the Spruce.
West	On the true line between Sec. 14 & 23 T. 15 N. R. 4 W.
39.61	Set the temp. 7 1/4 cu. post at the am. dish on the true line from which a Sugar 10 mi. dist. from N. 16 E. 48 links which made a Buck - " " " S. 10 E. 33 " "
79.22	To the post corner of Sec. 14, 15, 23, & 23.
North	Between Sec. 14 & 15 T. 15 N. R. 4 W.
9.50	To a Buck 10 links wide, Corner S. E.
16.64	" " Buck 10 mi. dist. in line.
40.00	Set a post from which a Buck. 18 mi. dist. from N. 79 W. 30 links dist; to Sugar 14 " " " N. 66 E. 5 " "
59.80	To a Buck 12 mi. dist. in line.
80.00	Set a post for the cor. of Sec. 10. 11. 14 & 15 from which a Inwood 10 mi. dist. from N. 1 E. 29 links dist; to Do. 6 " " " S. 6 W. 12 " " Land rolling and 2nd rate; Timber Buck, Su- gar, Poplar, Oak, &c. Ash & Walnut. W. Spruce.
East	On a Kamsam line between Sec. 11 & 14 T. 15 N. R. 4
40.00	Set a temp. 7 1/4 cu. post.
79.41	Intersect the N. & S. line 146 links North of the post cor. of Sec. 11. 12. 13 & 14 Land rolling and 2nd rate; Timber Buck, Sugar Poplar & Oak. Under the Spruce.

T. N^o 15 N.R. N^o 47. 2nd Mer Ind.

West On the true line between Sec. 11 & 14 T. 15 N. R. 47.
 39.75 Set the temp^t 7/4 sec. post at the corner dish on the true line
 from which a Beech 10 in. dia^r bears. N 21 E. 26 the dish
 and a Do. 10 " " " S 21 W. 18 " "
 79.41 To the post cor of Sec. 10. 11. 14. & 15.

North Between Sec. 10 & 11 T. 15 N. R. 14 W.
 16.61 To a Beech 30 in. dia^r in line.
 23.00 To a Spring branch; Course S.E.
 40.00 Set a 7/4 support from which a
 Beech 18 in. dia^r bears S 73 W. 20 links dish; & a
 Do 10 " " " N 79 E. 8 " "
 48.00 To a Spring branch; Course S.E.
 51.40 " " Sugar 14 in. dia^r in line.
 80.00 Set a post for the cor. of Sec. 2, 3, 10. & 11 from which a
 Beech 10 in. dia^r bears S 27 E. 15 links dish; & a
 Poplar 10 " " " N 77 W. 4 " "
 Sand rolling and 2nd rate;
 Timber Beech, Sugar, Poplar & Oak, undr^gth Spruce

East On a Random line between Sec. 2 & 11 T. 15 N. R. 4
 40.00 Set a temp^t 7/4 sec. post
 79.10 Into set the N.V.S. line 152 links North of the post cor.
 of Sec. 1, 2, 11. & 12
 Sand R. 7/2 mile hor^z; 2nd r^g rolling & 2nd rate;
 Timber Beech, Sugar, Poplar & Oak, undr^gth Spruce

West On the true line between Sec. 2 & 11 T. 15 N. R. 4 W.
 39.55 At the temp^t 7/4 sec. post at the corner dish on the true line
 from which on Ash 12 in. dia^r bears. N 26 E. 32 the dish
 and a Sugar 18 " " " S 33 W. 18 " "
 79.10 To the post cor of Sec. 2, 3, 10. & 11

T^N 15. N.R. R. N^o 4 W. 2nd Mer

North	Return Sec. 2 & 3. T 15 N.R. N ^o 4 W.
15.00	To a Buck 11 in. dia. in line.
40.00	Set a $\frac{1}{4}$ sec. post from which a W. Mahunt 12 in. dia. bears S 46 E. 29 links due; & a Poplar 24 " " " N 72 W. 4 " "
54.21	To a Buck 30 in. dia. in line
76.10	To a Buck 6 links wide, corner N.W.
84.43	Enter cut the N. Boundary 200 links East of the post cor. of Sec. 35 & 36. T 16 N.R. 4 W. and set a post for the cor. of Sec. 2 & 3 from which a Buck 12 in. dia. bears S 72 E. 11 links due; & a Do. 10 " " " " N 56 W. 30 " " Sand 1 st $\frac{1}{2}$ mile hard; 2 nd $\frac{1}{2}$ rolling; both 2 nd rate; Timber same.

North	Return Sec. 33 & 34 T 15 N.R. 4 W
31.00	To a Buck 10 in. dia. in line.
40.00	Set a $\frac{1}{4}$ sec. post from which a Sugar 10 in. dia. bears S 44 E. 15 links due; & a Ash 10 " " " " N 34 W. 6 " " Set a $\frac{1}{4}$ sec. post 18 in. apart in the line.
53.74 80.00	Set a post for the cor. of Sec. 27, 28, 33 & 34 from which a W. Oak 14 in. dia. bears S 53 W. 17 links due; & a Sycamore 10 " " " " N 21 E. 18 " " Sands rolling and broken; 2 nd rate; Timber Oak, Poplar & Buck & underbrush of all descriptions

East	Quadrangle line between Sec. 27 & 34 T 15 N.R. 4 W
40.00	Set a $\frac{1}{4}$ sec. post
80.22	Enter cut the N & S line 12 links North of the post cor. of Sec. 26, 27, 34 & 35 Sands rolling and 2 nd rate; Timber Buck, Sugar & Oak; underbrush Spruce.

T. N. 15. R. 4. W. 2nd. Mrs. J. A. S.

West On the true line between Sec. 27. & 28. T. 15. R. 4. W.
 40.11 Set the temp. 1/4 sec. post at the arr. cist. on the true line from
 which a Sugar 12 in. dia. trees. N 55 W. 8 links due;,
 made a No. 8 " " " S 56 E. 18 " "
 80.22 To the post cor. of sec. 27. 28. 33 & 34

North Between Sec. 27. & 28. T. 15. R. 4. W.
 15.00 To a Brook 6 links wide, Course S. W.
 20.30 " a " Oak 20 in. dia. in the line
 40.00 Set the temp. 1/4 sec. post from which a
 Sugar 10 in. dia. trees S 66 W. 11 links due; & a
 Elm 6 " " " N 40 E. 11 " "
 58.94 To a Buck 10 in. dia. stands in line
 80.00 Set a post for the cor. of sec. 21. 22, 27. & 28 from which a
 N Elm 36 in. dia. trees. S 30 W. 14 links due; & a
 No. 36 " " " S 63 E. 24 " "
 Sander rolling under 2nd rate; Timber Buck, Oak,
 Sugar, & undergrowth Spruce.

East On a Ran arm line between Sec. 22 & 27 T. 15. R. 4. W.
 40.00 Set a 1/4 sec. temp. 1/4 post
 80.50 Enter sub the N & S line 11 links North of the post cor.
 of sec. 22, 23, 26, & 27.
 Sander rolling; 1st & 2nd rate; Timber Buck, Sugar,
 Poplar & Oak & undergrowth Spruce.

West On the true line between Sec. 22 & 27 T. 15. R. 4. W.
 40.25 Set the temp. 1/4 sec. post for the arr. cist. on the true line
 from which a Buck 12 in. dia. trees. N 7 W. 22 links due;
 made a Sugar 6 " " " N 43 W. 26 " "
 80.50 To the post cor. of sec. 21. 22. 28. & 27.

North Between Sec. 21 & 22 T. 15. R. 4. W.

247

T. N. 15 N.R. N. 4 W. 2nd Mer. Ind. 3

- 14.00 To a B. Walnut 30 in. dia. in line.
 40.00 Set a post from which a
 Sugar 10 in. dia. head. N 76 W. 27 links dia; & a
 do. 14 " " " N 87 E 30 " "
 59.50 To a B. ash 18 in. dia. in line.
 80.00 Set a post for the cor. of sec. 15. 16. 21 & 22 from which a
 Mulberry 14 in. dia. head. S 70 W. 27 links dia; & a
 Lynx 6 " " " S 47 E. 22 " "
 Lands rolling and good 2nd Rate; Timber 1 Buck
 Ash, Oak, Walnut.

- East On a Remain line between Sec. 15 & 22 T. 15 N. R. 4 W.
 40.00 Set a temp. 4' post
 80.44 Enter at the N. S. line 30 links South of the post cor. of
 Sec. 14. 15. 22 & 23.
 Lands part land and part rolling; 2nd rate; good.
 Timber 1 Buck. Ash, Sugar, & Walnut. Wood of Spruce.

- West On the true line between Sec. 15 & 22 T. 15 N. R. 4 W.
 40.22 Set the temp. 4' post at the cor. dia. on the true line
 from which a Sugar 30 in. dia. head. N 39 W. 7 links dia;
 made a Sugar 10 " " " N 82 E. 15 " "
 80.44 To the post cor. of sec. 15. 16. 21 & 22 N. 4. 18 19.

- North Return Sec. 15 & 16. To 15 N. R. 4 W.
 23.30 To an ash 36 in. dia. in line.
 40.00 Set a post from which a
 Sugar. 24 in. dia. head. S 50 W. 39 links dia; & a
 do. 12 " " " N 52 E. 16 " "
 50.75 To a Buck. 20 in. dia. in line.
 80.00 Set a post for the cor. of sec. 9. 10. 15 & 16 from which a
 Lynx 10 in. dia. head. S 77 W. 17 links dia; & a
 Hornbeam 5 " " " N 38 E. 8 " "

I. N^o 15 N.R. N^o 4 W. 2nd Mer. Ind.?

Sand rolling and good 2nd rate; Timber Buck,
Ash, Mahunt, Oak, Poplar, Sugar, & W. Spine.

East On a Random line between Sec. 10 & 15 T. 15 N.R. 4 W.

40.00 Set a temp. 1/4 sec. post

80.32 Intersect the N.S. line 23 links North of the post corner
of sec. 10, 11, 14 & 15.

Sand rolling and good 2nd rate; Timber Buck,
Sugar, Ash, Poplar, Mahunt & Undergrowth Spine.

West On the true line between Sec. 10 & 15 T. 15 N.R. 4 W.

40.16 Set the temp. 1/4 sec. post at the corr. dist. on the true line
from which a Sugar 11 in. diam. bears. N 55 W 8 links dist.
and a Sugar 12 " " " S 31 W 26 " "

80.32 To the post cor. of sec. 9, 10, 15 & 16.

North Return Sec. 9 & 10 T. 15 N.R. N 4 W.

30.00 To an Ash 30 in. diam. in the line.

40.00 Set a 1/4 sec. post from which a
Sugar 10 in. diam. bears S 63 W 7 links dist; & a
Buck 24 " " " S 30 E 11 " "

50.28 To a Buck 12 in. diam. in line

80.00 Set a post for the cor. of sec. 3, 4, 9 & 10 from which a
Sugar 10 in. diam. bears S 44 W 17 links dist; & a
Buck 10 " " " N 49 E 34 " "

Sand rolling and good 2nd rate; Timber Buck,
Sugar, Ash, Poplar, Mahunt, Sugar, Oak; & W. Spine.

East On a Random line between Sec. 3 & 10 T. 15 N.R. 4 W.

40.00 Set a temp. 1/4 sec. post

80.09 Intersect the N.S. line 24 links North of the post
cor. of sec. 2, 3, 10, & 11

Sand part rolling and part level 2nd rate;

T. N. 15 N.R. N. 47. 2nd Mer. Sec.

Timber Beech, Ash, Sugar, Poplar, Undergrowth Spruce.

West On the line between Sec. 3 & 10. T. 15 N. 47.
40.04 Set the trip 1st sec. post at the av. dist. on the line
from which a Beech 10 in. diam. bears N 29 W. 15 the dist.
and a Do. 12 " " " N 75 E. 12 " "
80.09 To the post cor. of sec. 3 & 4. 9 & 10.

North Between Sec. 3 & 4 T. 15 N. 47
10.20 To a Beech 30 in. diam. in line.
40.00 Set a 1st sec. post from which a
Beech 12 in. diam. bears S 42 E. 8 links dist; to
Do. 12 " " " S 89 W. 32 " "
15.00 To a Brook 10 links wide, corner S.W.
20.40 To a Beech 10 in. diam. in line.
84.32 Intersect the N.B. boundary 301 links East of the post
cor. of sec. 33 & 34 T. 16 N. 47. and set a post for
the cor. of sec. 3 & 4 from which a
Beech 10 in. diam. bears S 46 W. 26 links dist; to
Do. 20 " " " N 25 E. 19 " "
Land rolling and good 2nd rate; Timber Beech,
Sugar, Ash and Poplar, Undergrowth Spruce; Nov. 5th 1819

North Between Sec. 32 & 33. T. 15 N.R. N. 47.
15.00 To a Sugar, 20 in. diam. in line.
40.00 Set a 1st sec. post from which a
Beech 10 in. diam. bears S 87 E. 29 links dist; to
Do. 8 " " " N 61 W. 5 " "
53.00 To an Ash 30 in. diam. in the line.
80.00 Set a post for the cor. of sec. 28, 29, 32 & 33 from which a
Beech 7 in. diam. bears S 86 W. 16 links dist; to
W. Oak 24, " " " N 53 E. 17 " "
Land R. 1/2 mile rolling; and 2nd rate; 2nd 1/2

T. N. 15. R. N. 4 W. 2nd Mer. S. 1st

Same; Timber Beech, W. Oak, Sugar, Walnut & Poplar, undergrowth Spruce.

East On a Kaudum line between Sec. 28 & 33. T. 15 R. 4 W.
40.00 Set a temporary 1/4 sec. post of
80.20 Intersect the NW 1/4 line 91 links North of the cor. of
Sec. 27 28 33 & 34
Land rolling and good 2nd rate; Timber W. Oak
Sugar, Walnut, &c. Undergrowth Spruce

West On the true line between Sec. 28 & 33. T. 15 R. 4 W.
40.10 Set the temporary 1/4 sec. post at the av. dist. on the true line
from which an Oak 20 in. diam. bears S 81 E. 25 links dist.
and an Elm 10 " " " N 58 W. 32 " "
80.20 To the post cor. of sec. 28. 29. 32 & 33.

North Between Sec. 28 & 29 T. 15 R. 4 W.
12.50 To a Beech 16 in. diam. in line.
21.50 " " Spring branch; Corner W.
29.00 " " Block 10 links into, corner W.
40.00 Set a 1/4 sec. post from which a
Hickory 8 in diam. bears N 17 W. 25 links dist. & a
Sycamore 8 " " " N 85 E. 15 " "
65.50 To a Poplar 30 in diam. in line.
80.00 Set a post for the cor. of sec. 20. 21. 28 & 29 from which a
Hickory 20 in diam. bears S 55 E. 19 links dist. & a
Beech 12 " " " N 54 W. 5 " "
Land R. 1/2 mile rolling & rich 2nd & 3rd rate.
Timber Walnut, W. Oak, Beech, Sugar, &c. Undergrowth Spruce
& Pawpaw.

East On a Kaudum line between Sec. 21 & 28. T. 15 R. 4 W.
10.50 To a Spring branch; Corner S. E.

T N^o 15 N.R. N^o 4 N. 2nd m^o. Sud.

40.00 Set a temp^y 1/4 sec. post.
 80.22 Intersect the NTS line 91 links North of the post cor.
 of sul. 21. 22, 27 & 28.
 Land rolling and good; Timber Walnut, ash, W.
 Oak, Poplar, Sugar &c. Undergrowth Pawpaw &c.

West On the true line between Sul. 21 & 28 & 15 N.R. 4 N.
 40.11 Set the temp^y 1/4 sec. post at the cor. ash on the true line
 from which a Heiky 10 in. diam. bears S 83 E. 18 links ash
 and as Buck. 8 " " " North 10 " "
 80.22 To the post cor of sul. 20 21. 28 & 29.

North Return Sul. 20 & 21. T 15 N.R. 4 N.
 12.00 To a W. Oak 24 in. diam. in the line
 40.00 Set a 1/4 sec. post from which a
 Red Oak 30 in. diam. bears S 86 W. 13 links ash; &c.
 Heiky 20 " " " S 71 E. 21 " "
 55.00 To a Spruce 24 in. diam. in the line.
 80.00 Set a post for the cor. of sul. 16. 17. 20 & 21 from which a
 Buck. 24 in. diam. bears N 44 W. 30 links ash; &c.
 Sugar 8 " " " S 26 E. 23 " "
 Land R^h 1/2 mile rolling and good 2nd rate; Timber
 Buck, Walnut, R & W. Oak, Poplar & Sugar &c.
 Undergrowth Spice & Pawpaw.

East On a Random line between Sul. 16 & 21 T 15 N.R. 4 N.
 40.00 Set a temp^y 1/4 sec. post
 80.38 Intersect the NTS line 82 links North of the post cor.
 of sul. 15. 16. 21 & 22
 Land rolling and 2nd rate; Timber Buck, W. Oak,
 Sugar, & Poplar, Undergrowth Spice &c.

West On the true line between Sul. 16 & 21. T 15 N.R. 4 N

T. N^o 15 N.R. N^o 4 W. 2nd Mer. Sec^d.

40.19 Set the trap $7\frac{1}{4}$ sec. post at the arr. ditch on the true line from
which a W Walnut 20 in. dia^r bears. S 54 W. 12 links ditch
and a Buckeye 10 " " " S 74 E. 12 " "
80.38 To the post cor. of sec. 16. 17. 20. & 21.

North Between Sec. 16 & 17 T. 15 N.R. N^o 4 W.
13.00 To a Wick 20 in. dia^r in the line.
40.00 Set a $\frac{1}{4}$ sec. post from which a
Sugar 18 in. dia^r bears. N 76 W. 4 links ditch; & a
Buck. 6 " " " S 45 E. 12 " "
54.16 To a Sugar 20 in. dia^r stand in the line
80.00 Set a post for the cor. of sec. 8. 9. 16 & 17 from which a
Sugar 24 in. dia^r bears. S 68 E. 30 links ditch; & a
Oak 10 " " " N 59 W. 11 " "
Land rolling and mch; Timber Walnut Pop-
lar, W Oak, & Sugar. & Undergrowth Spruce.

East On a Random line between Sec. 9 & 16. T. 15 N.R. 4 W.
40.00 Set a trap $7\frac{1}{4}$ sec. post
80.33 Enter the S 45 line 60 links North of the post cor. of
Sec. 9. 10. 15 & 16
Land level and good 2nd rate; Timber Buck, Sugar,
Walnut Poplar, Ash; & Undergrowth Spruce.

West On the true line between Sec. 9. & 16. T. 15 N.R. 4 W.
40.16 $\frac{1}{4}$ sec. Set the trap $7\frac{1}{4}$ sec. post at the arr. ditch on the true line
from which a Buck 18 in. dia^r bears. S 66 W. 18 links ditch
and a Wick 24 " " " N 36 W. 20 " "
80.33 To the post cor. of sec. 8. 9. 16. & 17.

North Between Sec. 8. & 9 T. 15 N.R. 4 W.
16.00 To a Buck. 24 in. dia^r in the line
40.00 Set a $\frac{1}{4}$ sec. post from which a

	<p>Sugar 18 in. dia. beam. N42E. 23 links dia. & on</p> <p>No. 20 " " " N44W 4 " "</p>
64.00	To a Brook 10 links wide, corner S.W.
76.40	" " Buck. 10 in. dia. in the line.
80.00	Set a post for the cor of sec. 4, 5, 8 & 9 from which a
	Buckeye 11 in. dia. beam. S44W. 13 links dia. & on
	W. Oak. 12 " " " N15E. 9 " "
	Sand bar and good 2 nd rate; Timber W. Oak, Buck,
	and Sugar & Mahogany; undergrowth Spruce &c
East	On a Roman line between Sec. 4 & 9 T. 15 N. R. 4 W.
40.00	Set a temp. 1 1/4 sec. post
80.50	Intersect the N. P. S. line 52 links North of the post cor.
	of sec. 3, 4, 9 & 10
	Sand bar and 2 nd rate; Timber Buck, Sugar, W.
	Oak, Poplar, Hickory; undergrowth Spruce &c
West	On the true line between Sec. 4 & 9 T. 15 N. R. 4 W
40.25	Set the temp. 1 1/4 sec. post at the av. dia. on the true line
	from which a B. Oak, 40 in. dia. beam North 17 W. dia.
	and a Buck. 8 " " " S18W. 17 " "
80.50	To the cor of sec. 4, 5, 8 & 9.
North	Between Sec. 4 & 5 T. 15 N. R. 5 W.
10.00	To a W. Oak, 24 in. dia. in the line
40.00	Set a 1/4 sec. post from which a
	Buck. 10 in. dia. beam. S64E. 16 links dia. & on
	Sugar. 18 " " " N18E. 26 " "
52.00	To a Buck. 24 in. dia. in the line.
84.78	Intersect the N. P. boundary 390 links East of the post
	cor of sec. 32 & 33 T. 16 N. R. 4 W and set a post for the
	cor of Sec. 4 & 5 from which a
	Buckeye 11 in. dia. beam. S35E. 10 links dia. & on

T. R. 15 N.R. N. 4 W. 2nd Mer. Ind.

Buck 18 in. diam. beam. N 24 E. 32 links web;
 Sound level; Timber W Oak, Buck, Sugar, Hickory,
 Poplar, &c, Undergrowth Spice Ironwood &c.

North	Between Sul. 31 & 32 T. 15 N.R. 4 W.
21.50	To a Sugar 18 in. diam. in the line
40.00	Set a $\frac{1}{4}$ cu. post from which an Elm 18 in. diam. beam. N 57 E. 6 links web; &c Sugar 20 " " " S 43 W. 46 " "
62.00	To a Buck 12 in. diam. in the line
80.00	Set a post for the cor. of sul. 29.30.31 & 32 from which a Sugar 24 in. diam. beam. N 73 E. 14 links web; &c Buck 10 " " " S 63 W. 24 " " Sand rolling and good 2nd rate; Timber Walnut, Oak, Oak, Sugar, Poplar, &c, Undergrowth Spice.

East	On a Run down line between Sul. 29 & 32 T. 15 N.R. 4 W.
31.40	To a Brook 6 links wide, corner S.W.
40.00	Set a trap $\frac{1}{4}$ cu. post.
48.50	To a Brook 10 links wide, corner S.W.
80.50	Intersect the N.R. line 95 links - North of the post cor. of sul. 28.29.32 & 33. Sand rolling and much; 2nd rate; Timber W Oak, Buck, Walnut, Poplar; Undergrowth Spice &c.

West	Between Sul. 29 & 32 T. 15 N.R. N. 4 W. True line
40.25	Set the trap $\frac{1}{4}$ cu. post at the acc. dist. on the true line from which a Buck 12 in. diam. beam. N 61 W. 31 links web and a Sugar 12 " " " N 69 E. 44 " "
80.50	To the post cor. of sul. 29.30.31 & 32

North	Between Sul. 29 & 30 T. 15 N.R. 4 W.
23.60	To a B. Walnut 36 in. diam. in line

30.00	To a Brook 15 links wide; Come S.W.
40.00	Set a 7/4 sec post from which a Amwood 4 in. dia: hand S84 E. 6 links dist; & a, Do. 4 " " " S197 N. 6 " "
57.25	To a B. Walnut 30 in. dia: in the line.
80.00	Set a post for the cor of sec. 19. 20. 29 & 30 from which a B. Walnut 40 in. dia: hand S18 E. 9 links dist; & a, R. Elm 12 " " " N42 E. 15 " " Sands rolling and good 2 nd rate; Timber Walnut, Ash, Buck, Sugar, Oak, Poplar: Ungt. Spruce.
East	On a Random line between Sec. 20 & 29 T. 15 N.R. 4 W.
35.50	To a Brook 10 links wide; Come S.W.
40.00	Set a temp 7/4 sec. post,
80.18	Intersected the N.E. line 89 links North of the post corner of sec. 20. 21. 28 & 29 Sands rolling & rich; good 2 nd rate; Timber W Oak, Buck, Sugar, Walnut, Ash, Poplar; and y ^e Pawpaw
West	On the true line between Sec. 20 & 29 T. 15 N.R. 4 W
40.09	Set the temp 7/4 sec. post at the corr. dist on the true line from which a Buckeye 10 in. dia: hand N63 E. 20 links dist and a Hickory 24 " " " S84 N. 18 " "
80.18	To the post corner of sec. 19. 20. 29 & 30.
North	Between Sec. 19. 20 T. 15 N.R. 4 W.
17.80	To an Elm 12 in. dia: in the line.
40.00	Set a 7/4 sec. post from which a Buck. 18 in. dia: hand. S39 E. 8 links dist; & a, Do. 18 " " " S80 N. 41 " "
62.40	To a Sugar 12 in. dia: in the line
80.00	Set a post for the cor of sec. 17. 18. 19 & 20 from which a Buck 18 in. dia: hand. S83 E. 32 links dist; & a

T. A. 15 N. R. N. 4 W. 2nd Mer. Ind.

Buck 12 in. dia. hand. N62 W. 17 links dia. b;
 Sand hole and good 2nd rate; Timber Buck,
 Sugar, Oak, Walnut & c. Undergth Spine.

East On a Random line between Sec. 17 & 20 T. 15 N. R. 4 W.

40.00 Set a 1/4 sec. post (temp. 1)

79.46 Intersect the N. 8 line 98 links South of the post cor.
 of Sec. 16. 17. 20 & 21.

Sand hole and 2nd rate; Timber Buck, Sugar,
 Ash, W. Oak, & Undergth Spine. & c.

West On the true line between Sec. 17 & 20. T. 15 N. R. 4 W.

39.73 Set the temp. 1/4 sec. post at the aver. dia. on the true line
 from which on

Chin 18 in. dia. hand. S68 E. 41 links dia. b; & c,
 W. Walnut 12 in. dia. hand. N60 W. 24 " "

79.46 To the post corner of Sec. 17. 18. 19 & 20

North Between Sec. 17 & 18 T. 15 N. R. 4 W.

14.70 To a W. Walnut 24 in. dia. in the line.

40.00 Set a 1/4 sec. post from which on

Buck 4 in. dia. hand. N75 W. 24 links dia. b; & c,

Lo. 4 " " " N54 E. 16 " "

60.50 To a Sugar 10 in. dia. in the line.

80.00 Set a post for the cor. of Sec. 7. 8. 17 & 18 from which on

Sugar 20 in. dia. hand. S65 W. 12 links dia. b; & c,

Buck 30 " " " N68 E. 31 " "

Sand rolling and broken 2nd rate; Timber Buck,
 Sugar, Oak, Walnut & c. Undergth Spine.

East On a Random line between Sec. 8 & 17 T. 15 N. R. 4 W.

28.00 To a Brook 6 links wide, Course NW.

34.00 " " Lo. 6 " " " SE.

40.00 Set a temp $7\frac{1}{4}$ sec. post
80.00 Intersect the N. S. line 93 links North of the post
corner of sec. 8. 9. 16. & 17
Land rolling and 2nd rate; Timber W. Oak, Beech,
Sugar, Ash, Walnut &c. undergrowth Spruce.

Wash On the true line between Sec. 8. & 17 T. 15 N. R. 4 W.
40.00 Set the temp $7\frac{1}{4}$ sec. post at the corner ditch on the true line
from which a Beech 6 in. dia. trunk. S 69 W. 6 links ditch;
made a Co. 8 " " " N 77 E 31 " "
80.00 To the post corner of sec. 7. 8. 17. & 18.

North Between Sec. 7. & 8. T. 15 N. R. 4 W.
2.00 To fallen timber
15.00 Left fallen "
15.40 To a Brook 20 links wide, Corner S. W.
21.20 " " Sugar. 12 in. dia. in the line.
40.00 Set a 7 sec. post from which a
Beech 8 in. dia. trunk. S 74 W. 26 links ditch; & a
Co. 18 " " " S 64 E. 18 " "
64.54 To a Sugar. 20 in. dia. in the line
80.00 Set a post for the corner of sec. 5, 6, 7. & 8 from which a
Sugar. 12 in. dia. trunk. S 24 W. 21 links ditch; & a
Co. 24 " " " N 29 E. 40 " "
Land and timber same as last mile; .

East On a Random line between Sec. 5. & 8. T. 15 N. R. 4 W.
34.00 To a Brook 15 links wide, Corner S. W.
40.00 Set a temp $7\frac{1}{4}$ sec. post
79.04 Intersect the N. S. line - links North of the post
corner of sec. 4. 5. 8 & 9
Land part rolling and part level 2nd rate; Timber
Beech, Sugar & Poplar,

T. N. 15 N. R. N. 47. 2nd Mer. Sud^h

West
39.52 On the line between Sec. 5 & 8. T. 15 N. R. N. 47.
Set the trip 1/4 sec. post at the cor. disk on the line
from which a Sugar 12 in. dia. bend N 59 W 25 links disk
and a Do. 10 " " " S 20 E 24 " "
79.04 To the post cor of sec. 5, 6, 7 & 8.

North
24.21 Between Sec. 5 & 6. T. 15 N. R. N. 47.
To a Sugar 20 in. dia. in the line.
40.00 Set a 1/4 sec. post from which a
Beech 20 in. dia. bend S 8 W 17 links disk & a
B Walnut 20 " " " N 40 W 7 " "
51.21 To an Ash 30 in. dia. in line
83.41 Enter out the N. Boundary 343 links East of the post
cor. of sec. 31 & 32. T. 16 N. R. 47. and set a post for the
cor of sec. 5 & 6 from which a
Sugar 24 in. dia. bend S 48 E 19 links disk; & a
Do. 18 " " " N 45 W 18 " "
Land level and 2nd rate; Timber same as last mile

West
8.00 Between Sec. 30 & 31 T. 15 N. R. 41 W
To a Beech 16 in. dia. stands in the line.
40.00 Set a 1/4 sec. post from which a
Beech 12 in. dia. bend. S 32 W 17 links disk; & a
Do. 6 " " " S 69 E 17 " "
58.16 Enter at the West Boundary 53 links South of the
post cor of sec. 25 & 36. T. 15 N. R. 5 W and set a post
for the cor of sec. 30 & 31. from which a
B. Ash 12 in. dia. bend. S 15 W 10 links disk; & a
Elm 18 " " " N 40 E 7 " "
Land rolling and rich; 2nd rate; Timber Walnut
Beech, Sugar, Poplar & W. Oak, Undergrowth Spice &
Pawpaw &c

259

T. N. 15 N.R. N. 4 W. 2nd Mex. Ind.

Mesh	Return Sat 19 & 20 T 15 N.R. N. 4 W.
25.50	To a Hickory 20 in. dia. in line
40.00	Set a 7 th sec. post from which a Ash 12 in. dia. bend. N 30 E. 18 links dist; & a Ash 10 " " " N 89 W. 9 " "
58.10	Intersect the West Boundary 50 links South of the Post cor. of sat. 24 & 25 T 15 N.R. N. 5 W. and set a post for the cor. of sat. 19 & 30 from which a Sugar 10 in. dia. bend. N 66 E. 8 links dist; & a Buck. 6 " " " S 11 E. 18 " " Land rolling and rich; good 2 nd rate; Timber W. Oak, Sugar, Buck, Walnut, Ash & Ungrth Spruce and Pawpaw
Mesh	Return Sat 18 & 19 T 15 N.R. N. 4 W.
13.10	To a Sugar 20 in. dia. in line
40.00	Set a 7 th sec. post from which a Buck. 7 in. dia. bend. S 76 W. 4 links dist; & a Ho. 10 " " " N 50 E. 14 " "
58.32	Intersected the West Boundary 30 links South of the Post cor. of sat. 13 & 24 T 15 N.R. S 4 W. and set a post for the cor. of sat. 18 & 19 from which a W. Walnut 10 in. dia. bend. N 75 E. 20 links dist; & a Sugar 8 " " " S 47 E. 24 " " Land level and rich; good 2 nd rate; Timber Ash B & W Walnut, W. Oak, & Ungrth Spruce & Pawpaw. &
Mesh	Return Sat 7 & 18 T 15 N.R. 4 W.
8.60	To a Brook 20 links wide, corner S. W.
17.00	" " B Walnut 30 in. dia. in line.
40.00	Set a 7 th sec. post from which a Sugar 14 in. dia. bend. S 54 W. 19 links dist; & a Ho. 18 " " " N 56 W. 21 " "

T. N. 15 N. R. N. 4 W. 2nd Mer Ind.

58.19 Interscut the West Boundary at the post cor of sec. 12 & 13
T. N. 15 N. R. N. 4 W.

Land rolling under 2nd rate; Timber Beech, Sugar,
Oak, Poplar & Walnut; undergrowth of all descriptions

Well Return Sec. 6 & 7 T. 15 N. R. N. 4 W

32.30 To a Beech 30 in. diam in line.

40.00 Set a 7/8 in. post from which a
Beech 18 in. diam. head. S 21 W. 18 links curb; & a
Sugar 10 " " " N 11 W. 30 " "

57.85 Interscut the West Boundary 34 links links South of
the post corner of sec. 6 & 12 T. 15 N. R. N. 4 W. and set
a post for the cor of sec. 6 & 7 from which a

Beech 10 in. diam. head. S 22 E. 19 links curb; & a
Do. 4 " " " N 55 E. 10 " "

Land rolling under 2nd rate; Timber as before
Nov. 6th 1879

Surveyed by Collette L.S.

I certify that the foregoing transcript of the
field notes of Township N. 15 North of Range
N. 4 West of the 2nd Meridian, Indiana, has
been compared with the Original notes in this Office
and found to be correct.

Surveyor General's Office,

Cincinnati, March 26, 1881

C. S. M. Ains
Sur. Genl.